

### Nova Probounce CUSHIONED HARD COURT COMFORT



Nova'ProBounce is better than any all weather court that you ever have played on......

Better than an asphalt overlay.

Better than building new with concrete.

Better than crack-filling and painting the old surface.

Better than a post tension concrete overlay

Better than crushing up your old court and re-building.








info@ngisports.com/www.ngisports.com 800-835-0033 / 423-499-5546 / Fax: 423-499-8882

#### Force Reduction [g (max)] Testing Results for Tennis Surfacing

\*(note that higher the value the harder the surface)



#### **FORCE REDUCTION**

What is G max? Scientifically speaking the test for g max or Peak Acceleration is the maximum deceleration of a missile which occurs during impact, but what does this mean?

This test is important due to the fact that high peak acceleration (g max) values during impacts involving the human body can result in a greater frequency of injury.

What it really affects is the lower back, pelvis, legs, joints, ankles and feet. The harder the surface the more negative effect on the human body. Upon impact with the surface, energy is returned to the body, How much energy is returned is determined by the ability of the surface to absorb that negative energy.

Surfaces with good force reduction allow the player to play longer, more often and over many years to come because there is less stress and damage to the body.







# NOVA'PROBOUNCE Installing directly over an existing pavement is the right economical choice for a long-term solution. Plexible Acrylic surface ProBounce System Repaired asphalt base Crushed rock Sub-grade

## NOVA'PROBOUNCE Serving up a greener place to play

#### Cost Comparison: Nova'ProBounce vs Asphalt Re-build For two tennis courts

Process	Asphalt	Days	PROBOUNCE	Days
fence mesh removal	3,200.00	2	NA	0
pulverize existing asphalt	5,600.00	1	NA	0
add 2"stone screenings	7,200.00	1	NA	0
laser grade, roll & compact	2,000.00	1	NA	0
overlay with 3" asphalt	33,800.00	1	NA	0
allow asphalt to cure		14	NA	0
reinstall fence mesh	3,700.00	2	NA	0
patch asphalt imperfections	1,000.00	1	3,100.00	2
replace net post sleeves	3,000.00	1	NA	0
install ProBounce			50,000.00	4
**color finish & stripe	10,000.00	3	10,000.00	3
replace landscaping	5,000.00	<u>3</u>	NA	0
Total cost	74,500.00		63,100.00	
Total down time (days) Warranty	1 year	30	5 years	9

<sup>\*</sup>NA = NOT APPLICABLE


#### **ECO-FRIENDLY PROBOUNCE**

Environmentally friendly tennis court surfaces are being developed one layer at a time by NGI Sports. Providing tennis court surfaces that are economical and aesthetically pleasing with outstanding playability, NGI is also setting the standard in the industry by utilizing environmentally sensitive methods for manufacturing and installation of tennis courts. By incorporating recycled and sustainable elements, Nova'ProBounce is a "green" surfacing system which can be installed easily over deteriorating surfaces, replacing environmentally unfriendly solvent and petroleum based asphalt pavements which also consume high amounts of energy and heat to produce. The production process used for the construction of ProBounce is a smart energy choice because it does not employ high volumes of fossil fuels nor does it release hazardous gases, such as carbon dioxide. Because no heavy equipment is used, the process is not environmentally invasive to the current landscaping and existing vegetation. Fencing and amenities are not removed as all work can be completed within the fence line. Innovation at NGI Sports is nothing new, and creating courts made from eco-friendly materials is our newest mission building a healthier environment and a longer-lasting court, thus, a healthier and longer-lasting planet.

<sup>\*\*</sup> Note: Nova'ProBounce is a resilient surface which is engineered to overlay cracked tennis courts. To achieve a resilient surface with asphalt pavement a special coating system or surface would have to be installed on top of the asphalt which would cost in excess of \$15,000.00 and may not have an equivalent shock attenuation value to the player.



#### INSTALLATION SEQUENCE



BEFORE PICTURE
OF PROBLEM COURT



BASE PREPARATION BY LEVELING AND CRACK-FILLING OF LOW AREAS



LAYING THE STRATUM LAYER
A THERMALLY AND DIMENSIONALLY
STABLE SYNTHETIC TURF



TRIM EDGES OF THE STRATUM AND SEAM W/ PB TAPE AND PB- ADHESIVE TO CREATE A FREE FLOATING PAVEMENT



APPLY NATURAL SAND INFILL TO ACT AS BALLAST FOR SYSTEM



SATURATE THE INFILLED STRATUM WITH A POLYMER RESIN TO BIND ALL COMPONENTS TOGETHER



PREPARE STABILIZED STRATUM LAYER FOR THE FLEXIBLE COLOR FINISH



SQUEEGEE APPLY APPROVED FLEXIBLE BASE COAT OF ACR BINDER



FLEXIBLE COLOR OVER FLEXIBLE ACR BASE COAT



WILSON PARK, FAYETTEVILLE AR/ COMPLETED 2001

info@ngisports.com / www.ngisports.com 800-835-0033 / 423-499-5546 / Fax: 423-499-8882



#### **GALLERY**







CAROLLO RESIDENCE PARADISE VALLEY, AZ INSTALLED 2000

UINVERSITY OF TOLEDO TOLEDO OH INSTALLED 2012

GETTYYSBURG HS GETTYSBURG, PA INSTALLED 2009







GERMANTOWN CRICKET CLUB
PHILADELPHIA, PA
INSTALLED 2000

MORGAN HILL PARK SAN JOSE, CA INSTALLED 2007

CONCORD RACQUET CLUB CONCORD, NH INSTALLED 2002







AGILENT TECHNOLOGY WILMINGTON, DE INSTALLED 2008

SANFORD SCHOOL HOCKESSIN, DE INSTALLED 2001

TEAM JAMIRI TENNIS PHILADELPHIA, PA INSTALLED 2006



#### IN THE NEWS....



# Courts

A MANUFACTURED COMPOSITE SURFACE SYSTEM MAY BE WHAT YOU NEED TO FIX CRACKED COURTS.

BY ANDREW R. LAVALLEE, ASLA

#### SOUND **SURFACES**

Morgan Hill Community Park opted to be environmentally conscious when it re -

surfaced its tennis court using materials

made of recycled rubber and soybean oil.

50 PARKS & RECREATION NOVEMBER2007

NGI Sports Offers Eco-Friendly Courts



NGI Sparts Offers Eco-Friendly Courts

Times causes and going green? And use? no many participations and the color interference of the poor interference of the color interfer stronger material than traditional lates backing that requires ustreme bent in the pr

4 is a single material man national material production of the straight of the straight material production. 
Set author we described described deplicated—"interface and a straight material production of the material control production and controls material production of the company. The subsets can be company to the subsets of the

ORDINARY SERVE USRSA MEMBER

FOR SALE Servis and Seath Club. Four indoor tervise courts, racqueball, flautitus, fixe weights, sar outdoor courts with diabouse and garage. 423-341-3464 vicit vieb site at www.loddsreith.usplapro.com

TOR SALE 1 Prince SpeedPort Red Racquet—New condition, prip #3—5199.00 with thisp-pring. Strang with Ashawey 14ga, hybrid. Hease call Sin Wash 678-762-1466 Home, 404-519-1347 ctsl.





#### PALMETTO DUNES NEWS

Tennis Center Installs ProBounce Courts; Helps Players With The Hard Choices Hilton Head Island, SC ... April 7, 2003...The only two hard surface courts at the Palmetto Dunes Tennis Center have been reinvigorated, and players are lobbing with excitement.

